Springer Series on Environmental Management

James S. Latimer · Mark A. Tedesco R. Lawrence Swanson · Charles Yarish Paul E. Stacey · Corey Garza *Editors*

Long Island Sound

Prospects for the Urban Sea



Springer Series on Environmental Management

Series Editors

Bruce N. Anderson, VIC, Australia Robert W. Howarth, NY, USA Lawrence R. Walker, NV, USA

For further volumes: http://www.springer.com/series/412

James S. Latimer · Mark A. Tedesco R. Lawrence Swanson · Charles Yarish Paul E. Stacey · Corey Garza Editors

Long Island Sound

Prospects for the Urban Sea



Editors
James S. Latimer
Office of Research and Development
US Environmental Protection Agency
Narragansett, RI
USA

Mark A. Tedesco Long Island Sound Office US Environmental Protection Agency Stamford, CT USA

R. Lawrence Swanson School of Marine and Atmospheric Sciences Stony Brook University Stony Brook, NY USA Charles Yarish
Department of Ecology
and Evolutionary Biology
University of Connecticut
Stamford, CT

Paul E. Stacey
Great Bay National
Estuarine Research Reserve
New Hampshire Fish
and Game Department
Durham, NH
USA

Corey Garza
Division of Science and Environmental
Policy
California State University,
Monterey Bay
Seaside, CA
USA

ISSN 0172-6161 ISBN 978-1-4614-6125-8 ISBN 978-1-4614-6126-5 (eBook) DOI 10.1007/978-1-4614-6126-5 Springer New York Heidelberg Dordrecht London

Library of Congress Control Number: 2013951776

© Springer Science+Business Media New York 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Contents

Long Island Sound: A Socioeconomic Perspective	1
The Geology of Long Island Sound	47
The Physical Oceanography of Long Island Sound	79
Geochemistry of the Long Island Sound Estuary	159
Metals, Organic Compounds, and Nutrients in Long Island Sound: Sources, Magnitudes, Trends, and Impacts	203
Biology and Ecology of Long Island Sound	285
	Marilyn E. Weigold and Elizabeth Pillsbury The Geology of Long Island Sound

	_
xiv	Contents

	Synthesis for Management	481
Gl	ossary	541
Inc	lex	553

Chapter 3 The Physical Oceanography of Long Island Sound

James O'Donnell, Robert E. Wilson, Kamazima Lwiza, Michael Whitney, W. Frank Bohlen, Daniel Codiga, Diane B. Fribance, Todd Fake, Malcolm Bowman and Johan Varekamp

3.1 Introduction

The ecology and geochemistry of Long Island Sound (LIS) are strongly influenced by the physical processes that determine the spatial structure and temporal evolution of the temperature (*T*), salinity (*S*), and DO concentrations and the distribution of the sediments. Much has been learned about these processes in the last decade through a combination of theoretical work, process studies, and the analysis of archived observations. The first wide-ranging summary of physical processes in LIS was published in 1956 by the Peabody Museum of Natural History at Yale University. Though the collection of papers mainly addressed biological oceanography, the chapter by Riley (1956) described the basic structure of the hydrography, tides, and currents, and much of his insight remains relevant. For the more general reader, Koppelman et al. (1976) provided a broad overview of the geological origin and geomorphology of LIS and summarized major characteristics of weather and climate. There has not been an extensive review of the literature since then. Reviews of the physical processes in neighboring water bodies are available.

J. O'Donnell (⋈) · M. Whitney · W. F. Bohlen · T. Fake Department of Marine Sciences, University of Connecticut, Groton, CT 06340, USA e-mail: james.odonnell@uconn.edu

R. E. Wilson · K. Lwiza · M. Bowman School of Marine and Atmospheric Sciences, Stony Brook University, Stony Brook, NY 11794, USA

D. Codiga

Graduate School of Oceanography, University of Rhode Island, Narragansett, RI 02882, USA

D. B. Fribance

Department of Marine Science, Coastal Carolina University, Conway, SC 29528, USA

J. Varekamp

Earth and Environmental Sciences, Wesleyan University, Middletown, CT 06459, USA

In particular, the hydrography and circulation of the Middle Atlantic Bight are summarized by Mountain (2003) and Lentz (2008). A review of Block Island Sound (BIS) and Rhode Island Sound physical oceanography is given by Codiga and Ullman (2010) and corroborated and augmented with recent observations by Ullman and Codiga (2010). The physical processes in the Hudson River are summarized by Geyer and Chant (2006).

We begin with a description of the characteristics of the phenomena that have significant influence on the hydrography and circulation: the freshwater discharge, the wind and wave climate, and the tides. In Sect. 3.2, we then describe the evolution (on time scales longer than tidal) and structure of the T, S, and density distributions in the Sound using a broad array of datasets. The magnitude and structure of the residual circulation are summarized in Sect. 3.3 and evidence for seasonal variations is summarized in Sect. 3.4. In Sect. 3.5, we discuss the effects of wind on sea level and circulation. In Sect. 3.6, we review recent observational and theoretical work on the physical processes that influence the duration and extent of hypoxia. Hypoxia, low concentrations of DO, develops in the deeper waters of the western Sound every summer and the impacted region spreads eastward as summer progresses. The data records resulting from water quality monitoring programs are now several decades long and in Sect. 3.7, we summarize some characteristics of long-term changes that can be detected. In Sect. 3.8, we outline the characteristics and magnitude of the response of the Sound to severe storms and comment on the likely impact of climate change. In the final section, we summarize and comment on the main results of the review.

3.1.1 Freshwater and Saltwater Sources

LIS is often described as an estuary because it is significantly fresher than the adjacent shelf water of southern New England. But it is an atypical mid-latitude estuary in several ways. First, it is unusual that the largest freshwater tributary discharges into the estuary near the main connection to the ocean. Gay et al. (2004) summarized the long-term average discharge of the seven rivers entering the Sound (see Table 3.1). The Connecticut River is the dominant source of fresh water and contributes 75 % of the total gauged discharge. Gay et al. (2004) also pointed out that there is a distinct seasonality to the flow rates. Since the extensive watershed of the Connecticut River includes the mountains in New Hampshire and Vermont, which accumulate precipitation as snow and ice throughout the winter, there is a large freshet in the spring. Figure 3.1 shows that the mean monthly flow in March, April, and May all exceed the annual average flow and the mean April discharge is more than twice the average.

The mechanisms that lead to dispersal of the effluent from the Connecticut River are quite complex. This was the subject of a series of reports by Garvine (1974, 1975 and 1977). With ship surveys and drogue studies, he showed that a large area of ELIS was covered by a thin (2 m) surface layer of brackish water that